

Devoted to Animal Health, Farmer's Wealth & Veterinarian's Dignity







A Rational Formulation for Management of MASTITIS

With 6q. Potassium lodide & Vitamin C

Indications:

- · Sudden drop in milk production
- · Blood & Flakes in Milk
- · Helps in dissolving fibrosis
- Fast recovery in clinical mastitis when given as an adjunct to antibiotic therapy

Usage:

50g, daily for 4-5 consecutive days



Packing: 4 x 50g

For the control of Diarrhoea & Dysentery



Ofloxacin 900mg + Ornidazole 2500mg + Dicyclomine 50mg + Dimethicone 75mg

Indications:

- · Diarrhoea of mixed origin
- Dysentery
- · Abdominal pain (Colic)
- · Urinary tract infections
- · GI tract infections

Usage:

50g. daily for 4-5 consecutive days



Packing: 10 x 4 Boli

For Rumen Specific yeast culture

Probiotic with Bypass Fat, Protein & Digestive Enzyme to improve Digestion & Milk Production

Indications:

- Indigestion Impaction
- . To increase milk production and fat%
- · For proper feed digestion & utilization
- To increase the level of rumen microflora & fibre digestion
- · For intestinal health & feed utilization
- · For growth & weight gain

Usage:

Large Animal: 100g. BID Small Animal: 50q. BID



Packing: 12 x 100g

For Rapid Onset of Ruminal Functions

Live yeast culture, Bovizyme, Propionibacterium, Freusenreichli & Amino Acid Feed Supplement

With Choline Chloride & Nux Vomica

Indications:

- · Anorexia · Indigestion · Impaction · Ruminal atony
- Ruminal acidosi Fatty Liver degeneration Grains in faeces
- · As supportive treatment with antibiotic therapy

Usage:

Large Animal: 2 Boli BID P.O. Small Animal: 1 Bolus BID P.O. In case of impaction 8 Boli stat or as directed by the

veterinarian



Packing: 10 x 4 Boli/Box

A Cure and prevention of vaginal & uterine prolapse

- · Strenghthens pelvic ligaments and broad ligament
- · Gives support to the uterine musculature
- · Tightens the vulvar sphincter Makes the pregnancy safe

Indications:

• Pre-partum & post-partum prolapse of vagina or uterus

Cow & Buffalo : 1st day - 150g twice 2nd & 3rd day - 100g withmustard oil

& gram flour

or as directed by the veterinarian



Packing: 500g.

For increase milk production & easy letdown of milk

Dispersible

Chelated Minerals, Vitamins with Powerful Galactogogue

Indications:

- Increases milk production
- · Ensures letdown of milk
- · Increases Lactation length · Improves udder development
- · Increases fat percentage of milk

Usage:

Large Animal: 1 Bolus BID P.O. Small Animal: 1/2 Bolus BID P.O.

Enriched with Jivanti, Shatavari & L-Lysine



Packing: 20 Bolus





Analgesic & antipyretic with extra power & anti-oxidant property

INJECTION & BOLUS



Piroxicam & Paracetamol

Indications:

- · All type of acute & chronic inflammatory condtions
- · Pain & fever associated with infections
- · Pyrexia of unknown origin
- · Post surgical conditions
- · Head injury

Dosage:

Bolus:

Large Animals: 2 bolus once a day Small Animals: 1/2 to 1 bolus once a day Injection:

1 ml./25kg. body weight by IM route



Packing: 10 x 4 Boli/Box

With Extra Advantage of

CHOLINE CHLORIDE

lipaliv

Packing: 100ml

The Sure Cure of RTI, UGTI, GIT Infections, Skin & Soft Tissue Infections

SINGLE SHOT

TREATMENT



Levoflaxacin 120mg/ml

Indications:

- · Diarrohoea & dysentery
- · Respiratory tract infections (Pneumonia & Bronchitis)
- Metritis & Pyometra
- . Skin & Soft tissue infections
- Pyrexia

Dosage:

Large Animals: 20-30ml by IM/IV Small Animals: 10-15ml by IM/IV or as directed by the veterinarian



Packing: 30ml & 100ml

In Anorexia & Indigestion

Indications:

- Indigestion
- · Non specific Anorexia
- Anaemia
- · Fatty Liver Degeneration
- Ruminal Atony
- · Supportive therapy along with antibiotics

Usage:

Large Animal: 5-10 ml daily Small Animal: 1-2 ml daily by deep

Im route or as directed by the veterinarian

For the health of Liver, Better Digestion & Production

V PIUS Liver Tonic

Indications:

- · Anorexia & Indigestion · Anaemia
- · Poor growth & weak animals · Stress
- · After deworming · Weight gain

Usage:

Large Animal: 50ml BID P.O. Small Animal: 10-20ml BID P.O. Sheep & Goat: 15-20ml BID P.O. Dogs: 6-10ml BID P.O.

or as directed by the veterinarian



Packing: 5 Ltr., 1 Ltr., 500ml & 200ml

Safer, Swifter & Stronger Corticosteroid

Injection

Isoflupredone Acetate Injection Suspension 2mg/ml

Indications:

- Ketosis Rheumatism Lameness Anorexia
- Depression Allergic reaction Infection & Toxicity Shock
- · Pain & Inflammation

Dosage:

Cattle & Buffaloes: 5-10ml (according to the size of the animal & severity of the condition)

The dose may be repeated in 24 hours if necessary

Horse: 2.5-10ml

Small Animal: 0.5-1ml per 10kg body weight

ISOPRED

Packing: 5ml & 10ml

Broad Spectrum Parasiticide

Levamisole HCl, Oxyclozanide & Silymarin

Indications:

- · Gastrointestinal Worms
- · Lung Worms
- · Eye Worms (Theilezia Sp.)
- Liver Flukes
- · Blood Worms (Horses)
- Heart Worms Warble Worms
- · (Cutaneous larva migrans) Nasal Schistosomiasis

Dosage:

Large Animal: Single Bolus or as directed by the veterinarian



Packing: 1 x 10 Boli/Box





Answer to the challenging bacterial infections

Cefnix-Tazo INJECTION

Ceftriaxone 500mg & Tazobactam 62.5mg Ceftriaxone 4gm & Tazobactam 500mg

Sure Weapon against gram+ve, gram-ve, aerobes & anaerobes including ESBLs Indications:

- · Mastitis & Nephritis · Hemorrhagic septicemia
- Bronchopenumonia (RTI) Metritis, Cystitis, Urethritis & UGTI • Musculoskeletal Infections
- Surgical Infections
- Pre-operative prophylaxis & Post-

Dosage:

5-10mg/kg. body wt. or depending upon severity

of infections by IM/IV route or as directed by the Veterinarian.

Packing: 562.5mg & 4.5 g Injection

Contract à l'action de l'actio

Broad Spectrum, Potent, Third Generation Cephalosporin



Injection

Ceftrizxone 3g & 4g

Indications:

- Mastitis
- Pneumonia
- Surgical Interventions
- Septicemia (Bacterial)
- Meningitis Pyrexia

Usage:

5-10 mg/kg body wt. or depending upon severity of infections by IM/IV route or as directed by the veterinarian



Packing: 3g & 4g Injection

For better health & development of udder

Dhenu-H® Multivitamin Supplement

Indications:

- Repairs & Rejuvenates udder tissues
- · Exerts antioxidant effect
- Stimulates better egg production & improves hatchability
- · Improves immunity & removes stress
- · For shiny haircoat & prevent hairfall

Dosage:

Large Animal: 10ml daily Small Animal: 5ml daily Dogs/Cats: 2-3ml daily Chicks: 7ml/100 birds Layers: 10ml/100 birds



Packing: 100ml, 250ml & 1 Ltr.

Revolution in Mastitis therapy

CEFNIX FORTE-4.5 g. INJECTION

Cefoperazone & Sulbactam 4.5g

Ideal fighter against Mastitis

Indications:

- · Acute & Chronic Mastitis
- · RTI
- · Intra-abdominal infection
- Pyrexia

Dosage:

5-10mg/kg body wt. or depending upon severity of infections by IM/IV route or as directed by the veterinarian

Packing: 4.5g Injection

Cefoperazone & Sulhactam Injection 4.5 gm

CEFNIX FORTE-4.5 g.

Third Generation Broad Spectrum, Potent & Bactericical Fluroquinolone



Injection

Levofloxacin 100mg/ml

Indications:

- Diarrhoea & dysentery
- Respiratory tract infections (Pneumonia & Bronchitis)
- Metritis & Pyometra
- . Skin & Soft tissue infections
- Pyrexia

Dosage:

Large Animal: 20-30ml by IM/IV Small Animal: 10-15ml by IM/IV or as directed by the veterinarian



Packing: 30ml & 100ml

Excellent broad spectrum wormcide

Helmicyde® Suspension

Oxyclozanide 60mg, Levamisol HCl 30mg & Silymarin 4mg

Indications:

For the control & treatment of GIT & Pulmonary nematodes infestation & chronic fascioliasis in cattle & buffalo

- Effective against all stages of major endoparasites
- · Safe in pregnancy

Dosage: (Injection)

1ml/4kg of body wt. Repeat dose after 2-4 weeks



Packing: 30ml, 90ml & 1 Ltr.





Different Needs One Solution ...

Injection & Bolus

Butaphosphan & Methylcobalamin

Indications:

- · Metabolic disorders like Ketosis, Milk Fever
- · Infertility and puerperal diseases
- · Phosphorus deficient cases : Pica, Red Water Fever, Arthritis like syndrome • Weakness and anemia
- Muscular activity Stress & Reduced feed intake (Anorexia)
- Disease recovery (convalescence)

Dosage:

Horse, Cattle, Camel: 10-25ml

Foal, Calf: 5-12ml Sheep, Goat: 2.5-8ml Lamb: 1.5-2.5ml

Pig: 2.5-10ml & Dog, Cat: 0.5-2.5ml

or as directed by the veterinarian



Packing: 30ml, 100ml Vial & 10x2 Boli

Heat inducer & fertility enhancer

Clomiphene Citrate 500mg & Copper Sulphate 750mg

Indications:

- Anoestrus
- Silent estrus
- · Repeat breeding (Anovulation or delayed ovulation)
- · Improves conception rate

Dosage:

1 Strip daily upto 5 days or as directed by the veterinarian



Packing: 3x5 Tablet/Box

Excellence in Health, Production & Reproduction

Chelated Organic Minerals & Vitamins Feed Supplement

Methochelated

Indications:

- Anoestrus
- . Deficiency of Vitamins & Minerals
- · Hypogalactia & Agalactia
- Weakness & Debility
- · Poor immunity

Mixing Ratio:

Cow & Buffalo: 30-50g P.O. per day for

maintenance, growth & better milk production

Calf / Sheep / Goat: 15-25g P.O. per day for better growth. Pig: 25-30g P.O. per day for better weight gain & maintenance

Horse: 50g P.O. per day or 1-2kg mixed in 100kg feed

Packing: 1,5,10 & 25kg

Potent Antioxidant & Immunomodulator

Ascorbic Acid 250ma/ml

Vitamin C with Multifarious Applications

Indications:

- · Antioxidant during stressful condition
- · Potentiate immune status
- · Supportive therapy in mastitis
- · Bleeding (Haemostatic)
- · Haemoglobinuria · Heat stroke

Dosage:

Dogs & Cats: 2-3ml Calves : 5ml

Large Animals: 20-30ml (In Haemoglobinuria 60ml)

by IM/IV/SC route

or as directed by the veterinarian



Packing: 30ml & 100ml

Overcome the calcium deficiency & increase the milk output

Indications:

- · Increases milk production
- · Maintains appetite, health & digestion
- · Ensures letdown of milk
- Improves energyl level
- · Prevents hypocalcaemia/milk fever
- · Prevents complications of calving such as milk fever, retention of foetal membranes

Usage:

Large Animal: 50-100ml daily Small Animal: 30-50ml daily

or as directed by the veterinarian



Symbol

of Quality

Packing : 20 Ltr., 5 Ltr., 2 Ltr. & 1 Ltr.

NSAID with the property of elimination of endotoxins

Flunixin Meglumine 83mg/ml

Indications:

- Visceral pain (Colic)
- Inflammation in endotoxemia as in Mastitis, Metritis, Entritis & pneumonia etc. • Musculo-skeletal disorder • Lameness
- Pyrexia (Fever) Post surgical Calf Scour (Diarrhoea)
- · Straining & Prolapse

Dosage:

Cattle, Buffalo, Camel, Sheep & Goat:

2 ml/45 kg b.wt for 3-5 days

Horse: 1 ml/45 kg b.wt for 3-5 days Dog: 0.5 ml/25 kg b.wt for 3-5 days

Cat: 1 ml/25 kg b.wt for 3-5 days Pig: 1-2 ml/50 kg by slow I.V / I.M / S.C or as directed by the veterinarian

Packing: 20ml & 100ml Vial







Qtik

Mango

Flavour

न्यादा कैल्शियम पीपली, जीवंती शतावरी के साथ

The Powerful and Ecofriendly Herbal Antiseptic Spray

- · Non irritant, non allergic · Fly repellent
- · Destroys pyogenic membrane antiseptic
- · Antifungal & Antiviral Kills maggets

Spray on the affected area 3-4 time a day



Packing : 100ml & 200ml

Powerful tick, lice, mosquito, fly killer & repellent

Indications:

- · Ticks & Lice infestation
- · Both types of mange (Superficial & deep)
- · Parasitic dermatitis
- To kill & repell flies & mosquitoes
- · Hump & tail sores

Usage:

Spray directly on the site of ticks & lice infestation. Spray on the animal body at 4-5 sites during peak hrs. of mosquitoes & fly attack.

Packing: 100ml & 50ml

For the Quick expulsion of Placenta & Health of Uterus



Packing: 500ml & 1 Ltr

Indications:

- Retention of Placenta (ROP)
- · Uterine infections like Metritis & Pyometra etc.
- · Irregular lochial discharge
- · Delayed involution of uterus
- · Low Milk Yield · Repeat Breeders
- For Early Post Partum Estrus

Usage:

In case of ROP 250ml P.O. repeat after 2 hours In case of Metritis 100ml BID

P.O. for 5 days or as directed by the veterinarian



More milk for longer time

LEPTOCAL Liquid

. To improving the milk production

. To improve the growth rate in young ones

- · To prevent milk-fever, rickets, pica, osteomalacia, osteoporosis
- · To prevent calcium & phosphorus deficiency during pregnancy & lactation
- · For prevention of mineral deficiency in animals
- · Help form strong bones thick shelled eggs
- · Asparagus racemosus & Leptadenia reticulata stimulates glandular functions & help letting down naturally

Usage:

Indications:

Large Animal: 50ml daily Small Animal: 30ml daily or as directed by the veterinarian

Packing: 1 Ltr., 6 Ltr., & 20 Ltr.

Rational & highly effective formulation to combat heat stress & to boost up immunity

Indications:

- · Acts as antioxident and removes stress.
- . Optimise body electrolytes & maintain body fluid.
- · Lowers down body temperature as sea flora acts as natural refrigerant. • Corrects alkalosis.
- Provides extra calcium & phosphorus.
- · Provides instant energy. · Boost up Immunity.
- . Increase production and fertility of the animal.

Dosage:

Large Animal: 100-200ml twice a day Calf & Small Animal: 25-50ml twice a day

by oral route

Poultry: (Layer) 10ml/100 birds Broiler: 5ml/100 birds in drinking water

Packing: 1Ltr.

Mixed uterine infection need a wide spectrum of action



Ornidazole 40 mg + Solution Each ml. contains: Levofloxacin 20 mg + On Urea 500 mg + Alpha Tocopherol 5 mg + q.s

Indications:

- · Irregular Lochial Discharge
- · Delayed Involution of Uterus
- Abortion
- · Metritis
- · Repeat Breeding
- · Retained Placenta

Dosage:

As directed by Veterinarian



Packing: 60ml.

For Further Detail Please Contact:

Phoenix Life Science Pvt. Ltd.

Regd. Office: Phoenix Tower, D-83, Extn. 2, 2nd Floor, Delhi-110 041 Head Office: 1786/34, Sheetal Nagar, Jhajjar Road, Rohtak E-mail: contectphoenix@gmail.com Visit us at : www.phoenixlifesciences.com www.veterinarymedicine.co.in www.phoenixlifesciences.co.in